

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/20/2012

Reviewed on 03/20/2012

## \* 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Clip Comfort
- **Article number:** 2261
- **Application of the substance / the preparation**  
Concentrated drycleaning detergent with highly active odour absorber, neutral scent, excellent antistatic characteristics and comfort retexturing properties in textile cleaning. For use in Perc and hydrocarbon.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
- **Manufacturer:**  
Chemische Fabrik Kreussler & Co. GmbH  
Postfach 120454  
D-65082 Wiesbaden
- **Supplier:**  
Kreussler Inc., 6103 Johns Road Suit 7, Tampa, FL 33634,  
Phone 813-884-1499, Fax 813-884-1599,  
Internet: www.kreussler.com, e-mail: office-tampa@kreussler.com
- **Information department:**  
Abteilung TQM  
Herr Vogel  
+49 (0) 611 9271-175  
Kurt.Vogel@kreussler.com
- **Emergency telephone number:** +49 (0) 611 9271-0

## 2 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

### · **Dangerous components:**

	perfumes Xi R38-43; N R51/53	≤1 %
68425-47-8	Soyafattyacid-diethanolamide Xi R38-41	5.0-15%
1322-98-1	Benzenesulfonic acid, C10-13 alkyl derivatives, sodium salt Xi R38-41	5.0-15%
9004-82-4	Fatty alcohol ether-sulfate Xi R38-41	5.0-15%
69227-21-0	alcohols C12 – C18 ethoxylated, propoxylated Xi R38	5.0-15%
69011-36-5	alcohols C13 branched, ethoxylated Xn R22; Xi R36/38	1.0-5.0%
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides C R34; Xn R21/22; N R50	1.0-5.0%
110615-47-9	Deglucopyranose oligomeric C10 – C16 alkylglucoside Xi R41	1.0-5.0%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

## 3 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
Irritant  
Irritating to skin. Risk of serious damage to eyes.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

— USA —

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/20/2012

Reviewed on 03/20/2012

Trade name: Clip Comfort

(Contd. of page 1)

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

- **Code letter and hazard designation of product:**



Xi Irritant

- **Risk phrases:**

Irritating to skin.

Risk of serious damage to eyes.

- **Safety phrases:**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable gloves and eye/face protection.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

- **Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

## 4 First aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Rinse with warm water.  
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.

## 5 Firefighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** Product itself does not burn.
- **Protective equipment:** Use normal protective clothing.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

— USA —

# Material Safety Data Sheet

## acc. to ISO/DIS 11014

Printing date 03/20/2012

Reviewed on 03/20/2012

Trade name: Clip Comfort

(Contd. of page 2)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Do not eat, drink, smoke or sniff while working.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
PVC or PE gloves  
Recommended thickness of the material:  $\geq 0.4$  mm
- **Not suitable are gloves made of the following materials:**  
Leather gloves  
Strong gloves
- **Eye protection:**



Tightly sealed goggles

(Contd. on page 4)

— USA —

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/20/2012

Reviewed on 03/20/2012

Trade name: Clip Comfort

(Contd. of page 3)

- **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· <b>General Information</b>	
· <b>Appearance:</b>	
<b>Form:</b>	Liquid
<b>Color:</b>	Light yellow
· <b>Odor:</b>	Characteristic
· <b>pH-value at 20°C (68 °F):</b>	7.1
· <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b>	Not applicable.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	0.6 Vol %
<b>Upper:</b>	20.4 Vol %
· <b>Vapor pressure at 20°C (68 °F):</b>	23 hPa (17 mm Hg)
· <b>Density at 20°C (68 °F):</b>	1.01 g/cm <sup>3</sup> (8.428 lbs/gal)
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Viscosity:</b>	
<b>Dynamic at 20°C (68 °F):</b>	112 mPas
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**  
Acute oral toxicity: >2000mg/kg (Rats)  
calculated from data of constituent parts.
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

(Contd. on page 5)

— USA —

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/20/2012

Reviewed on 03/20/2012

Trade name: Clip Comfort

(Contd. of page 4)

## 12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Other information:** The product is biodegradable.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Additional ecological information:**
- **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product may not be released into the environment without control.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Dispose of in accordance with local, state, and federal Regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## \* 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Void
· <b>UN proper shipping name</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>Packing group</b>	
· <b>DOT, ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.

## 15 Regulatory information

- **Sara**

### · **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

### · **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

### · **TSCA (Toxic Substances Control Act):**

29911-28-2 Dipropylenglykolbutylether

68425-47-8 Soyafattyacid-diethanolamide

(Contd. on page 6)

— USA —

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/20/2012

Reviewed on 03/20/2012

**Trade name: Clip Comfort**

(Contd. of page 5)

1322-98-1	Benzenesulfonic acid, C10-13 alkyl derivatives, sodium salt
9004-82-4	Fatty alcohol ether-sulfate
69227-21-0	alcohols C12 – C18 ethoxylated, propoxylated
69011-36-5	alcohols C13 branched, ethoxylated
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides
110615-47-9	Deglucopyranose oligomeric C10 – C16 alkylglucoside
68439-50-9	Zincsalt of a fattyacid with emulsifier
2372-82-9	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic
2634-33-5	1,2-benzisothiazol-3(2H)-one
2682-20-4	2-methyl-2H-isothiazol-3-one
7732-18-5	water, distilled, conductivity or of similar purity

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Canadian Substances Listings:**

· **Canadian Domestic Substances List (DSL):**

29911-28-2	Dipropylenglykolbutylether
68425-47-8	Soyafattyacid-diethanolamide
1322-98-1	Benzenesulfonic acid, C10-13 alkyl derivatives, sodium salt
9004-82-4	Fatty alcohol ether-sulfate
69227-21-0	alcohols C12 – C18 ethoxylated, propoxylated
69011-36-5	alcohols C13 branched, ethoxylated
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides
110615-47-9	Deglucopyranose oligomeric C10 – C16 alkylglucoside
68439-50-9	Zincsalt of a fattyacid with emulsifier
2372-82-9	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

(Contd. on page 7)

— USA —

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/20/2012

Reviewed on 03/20/2012

**Trade name: Clip Comfort**

(Contd. of page 6)

64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic
2634-33-5	1,2-benzisothiazol-3(2H)-one
2682-20-4	2-methyl-2H-isothiazol-3-one
<b>· Canadian Ingredient disclosure list (limit 0.1%)</b>	
29911-28-2	Dipropylenglykolbutylether
68425-47-8	Soyafattyacid-diethanolamide
1322-98-1	Benzenesulfonic acid, C10-13 alkyl derivatives, sodium salt
9004-82-4	Fatty alcohol ether-sulfate
69227-21-0	alcohols C12 – C18 ethoxylated, propoxylated
69011-36-5	alcohols C13 branched, ethoxylated
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides
110615-47-9	Deglucopyranose oligomeric C10 – C16 alkylglucoside
68439-50-9	Zincsalt of a fattyacid with emulsifier
2372-82-9	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic
2634-33-5	1,2-benzisothiazol-3(2H)-one
2682-20-4	2-methyl-2H-isothiazol-3-one
7732-18-5	water, distilled, conductivity or of similar purity
<b>· Canadian Ingredient disclosure list (limit 1%)</b>	
1322-98-1	Benzenesulfonic acid, C10-13 alkyl derivatives, sodium salt

**· Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

**· Hazard symbols:**

Xi Irritant

**· Risk phrases:**

Irritating to skin.

Risk of serious damage to eyes.

**· Safety phrases:**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable gloves and eye/face protection.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The information of Items 4 through 8 and 10 through 12 partially refers not to the use and the proper application of the product (see Directions for Use/Product Information) but to the release of larger quantities in the case of accidents and irregularities.

The information exclusively describes the safety requirements of the product(s) and is based on the present state of our experience.

Non-ionic tensides can have varying characteristics and classifications despite same CAS-No.

**· Department issuing MSDS:**

Abteilung TQM

Herr Vogel

+49 (0) 611/9271-175

**· Contact:** Herr Vogel**· \* Data compared to the previous version altered.**